

FIG. 1





FIG. 2

FIG. 3



4/16






FIG. 4



**FIG. 6**

270 <html>

290 <form id="g_card_info" method="post" action="http://payment.asp">

280 <select name="card_type" onClick="talk(g_card_types)">

<option value="amex">American Express</option>

<option value="visa">Visa</option>

<option value="mc">Master</option>

</select>

<reco id="g_card_types" onReco="handle()">

<grammar src="./gram#card_types" />

</reco>

<input type="text" name="card_num" width="30"

onClick="talk(g_card_num)" />

282 <reco id="g_card_num" onReco="handle()">

<grammar src="./gram#digits" />

</reco>

<input type="text" name="expiry_date"

onClick="talk(g_expiry_date)" />

284 <reco id="g_expiry_date">

<grammar src="./gram#dates" />

</reco>

<input type="submit" value="Submit" onClick="verify()" />

</form>

272 <script><![CDATA[

function talk(gobj) {

gobj.activate();

}

function handle() {

if (get_card_info.card_num != null) {

if (get_card_info.card_type.value == "amex") {

if (get_card_info.card_num.length != 15)

alert ("amex should have 15 digits");

} else

if (get_card_info.card_num.length != 16)

alert ("visa and master should have 16 digits");

}

}

function verify() {

var flag = window.confirm("submit the credit card info?");

if (flag) {

get_card_info.submit();

}

}

]]>

</script>

</html>

FIG. 8

9/16

```

< body >
  < form id = " g02_card_info " method = " post " action = " http://payment.asp "
    onActivate = " welcome() ">
    < prompt id = " p_welcome "> We now need your credit card </ prompt >
    < prompt id = " p_mumble "> I didn't understand you </ prompt >
    < prompt id = " p_card_type " bargain = " true "> What credit card would you
300 use? </ prompt >
    < prompt id = " p_card_num " bargain = " true "> Please say the number" </ prompt >
    < prompt id = " p_expiry_date " bargain = " true "> What is the expiration
303 date? </ prompt >
    < prompt id = " p_content ">
      I have your < value select = " card_type " /> < value select = " card_num " />
      with expiration date
      < value select = " expiry_date " />
    </ prompt >
    < prompt id = " p_confirm "> Is this correct? </ prompt >
    < reco id = " g_card_types " onNoReco = " mumble(this, 2) ">
      onReco = " _handle(this, card_type) " />
    < grammar src = " ./gram#card_types " />
    </ reco >
    < reco id = " g_card_num " onNoReco = " mumble(this, 1) ">
      onReco = " _handle(this, card_num) " />
    < grammar src = " ./gram#digits " />
    </ reco >
    < reco id = " g_expiry_date " onNoReco = " mumble(this, 1) ">
305 onReco = " _handle(this, expiry_date) " audio = " rao " />
    < grammar src = " ./gram#dates " />
    </ reco >
    < reco id = " confirmation " onReco = " confirmed(this) " />
    < grammar src = " ./gram#yesno " />
    </ reco >
    < select name = " card_type ">
      < option value = " amex "> American Express </ option >
      < option value = " visa "> Visa </ option >
      < option value = " ms "> MasterCard </ option >
    </ select >
    < input type = " text " name = " card_num " width = " 30 " />
    < input type = " text " name = " expiry_date " />
    < input type = " submit " value = " Submit " />
  </ form >
  < script > <![CDATA[
    function welcome() {
      p_welcome.active();
      repeat = 0;
      checkFilled();
    }
    function mumble(qcbl, maxprompts) {
      gobj.deactivate();
      p_mumble.active();
      checkFilled();
    }
  ]]>
302

```

TO FIG. 9B

FIG. 9A

```

function _handle() {
    handle();
    checkFilled();
}
function checkFilled() {
    if (card_type.value == "") {
        p_card_type.activate();
        g_card_types.activate(); return;
    }
    if (card_num.value == "") {
        p_card_num.activate(); g_card_num.activate(); return;
    }
    if (expiry_date.value == "") {
        p_expiry_data.activate(); g_expiry_date.activate(); return;
    }
    p_content.activate();
    p_confirm.activate();
    confirmation.activate();
}

function confirmed(gobj) {
    if (gobj.recogRes.text == "yes")
        get_card_info.submit();
}
//
// user codes start here
//
function handle() {
    if (get_card_info.card_type == "amex") {
        if (get_card_info.card_num.length != 15) {
            prompt.speak ("amex should have 15 digits");
            get_card_info.card_num = "";
        }
    } else
        if (get_card_info.card_num.length != 16) {
            prompt.speak ("visa and master should have 16 digits");
            get_card_info.card_num = "";
        }
    }
}
]]>
</script>
</body>

```

FIG. 9B

```

<body>
  <form id="g_get_card_info" method="post" action="http://payment.asp"
    onactivate="p_welcome.active()">
    <prompt id="p_welcome" bargain="true">We now need your credit card</prompt>
    <prompt id="p_mumble" bargain="true">I didn't understand you</prompt>
    <prompt id="p_card_type" bargain="true">What credit card would you
use?</prompt>
    <prompt id="p_card_num" bargain="true">Please say the number</prompt>
    <prompt id="p_expiry_date" bargain="true">What is the expiration
date?</prompt>
    <prompt id="p_confirm">
      I have your <value select="card_type" /> <value select="card_num" />
with expiration date <value select="expiry_date" />
    </prompt>
    <prompt id="p_confirm">Is this correct?</prompt>
    <reco id="g_get_card_info" onReco="_handle()" onNoReco="mumble(this)">
      <grammar src="./gram/getPayment" />
      <bind target="card_type" value="/card/type" />
      <bind target="card_num" value="/card/number" />
405 — <bind target="expiry_date" value="/card/expr_date" />
    </reco>
    <reco id="confirmation" onReco="confirmed(this)" onNoReco="mumble(this)" />
    <grammar src="./gram#yesno" />
    </reco>
    <select name="card_type">
      <option value="amex">American Express</option>
      <option value="visa">Visa</option>
      <option value="ms">MasterCard</option>
    </select>
    <input type="text" name="card_num" width="30" />
    <input type="text" name="expiry_date" />
    <input type="submit" value="Submit" />
  </form>
  <script><[[CDATA[
    function welcome() {
      p_welcome.active();
      repeat = 0;
      checkFilled();
    }
    function mumble(pobj) {
      gobj.deactivate();
      p_mumble.active();
      checkFilled();
    }
    function _handle() {
      handle();
      checkFilled();
    }
  ]]></script>

```

FIG. 10A

TO FIG. 10B

12/16

```

function checkFilled() {
    if (card_type.value == "") {
        p_card_type.activate(); do_field.activate(); return;
    }
    if (card_num.value == "") {
        p_card_num.activate(); do_field.activate(); return;
    }
    if (expiry_date.value == "") {
        p_expiry_data.activate(); do_field.activate(); return;
    }
    p_content.activate();
    p_confirm.activate();
    confirmation.activate();
}
function confirmed(gobj) {
    if (gobj.recogres.text == "yes")
        get_card_info.submit(gensml());
}
//
// user codes start here
//
function handle() {
    if (field == get_card_info.card_num) {
        if (get_card_info.card_num.length != 15) {
            prompt.speak ("amex should have 15 digits");
            get_card_info.card_num = "";
        }
    } else
        if (get_card_info.card_num.length != 16) {
            prompt.speak ("visa should have 15 digits");
            get_card_info.card_num = "";
        }
    }
}
function gensml() {
    str = "<sm1><credit_card type=";
    str += card_type.value; str += '"><number>';
    str += card_number.value; str += '</number><expire>';
    str += expiry_date.value; str +=
    "</expire></credit_card></sm1>";
    return str;
}
}
</script>
</body>

```

FIG. 10B

13/16

SAMPLE ASP+ PAGE

```
<%@ Page language="Jscript" AutoEventWireup="false" Inherits="Credit.Transaction" %>
<html><head>
<!-- ASPX page for both voice-only & multimodal credit card example -->
<script>
function handle() {
    if (field == get_card_info.card_num) {
        if (get_card_info.card_num.length != 15) {
            prompt.speak ("amex should have 15 digits");
            get_card_info.card_num = "";
        }
    } else
        if (get_card_info.card_num.length != 16) {
            prompt.speak ("visa should have 15 digits");
            get_card_info.card_num = "";
        }
    }
function gensml() {
    str = '<sml><credit_card><card_type>';
    str += card_type.value; str += '</card_type><number>';
    str += card_number.value; str += '</number><expire>';
    str += expiry_date.value; str += '</expire></credit_card></sml>';
    return str;
}
</script>
<script runat="server">
function Page_Load (obj, args) {
    if (PostBack) {
        validator = new System.Speech.SMLValidator("./CreditSDL.xml");
        dsml = validator.Evaluate(args);
        Navigate(ChoosePage(dsml));
    } else {
        // initialize fields with args
    }
}
</script>
</head>
<body>
<speech:form id="get_card_info" style="system_initiative"
    prompt=" /prompt/getPayment" onSubmit="gensml()">
    <speech:choice name="card_type" prompt="What credit card would you use?"
        grammar="/gram#card_types" onPhraseFinish="handle()"
        <option>American Express</option>
        <option>Visa</option>
        <option>Mastercard </option>
    </speech:choice>
    <speech:textbox name="card_number" prompt="Please say the number"
        grammar="/gram#digits" onPhraseFinish="handle()">
    <speech:textbox name="expiry_date" prompt="What is the expiration date? "
        grammar="/gram#dates" onPhraseFinish="handle()" />
</speech:form>
</body>
</html>
```

FIG. 11

FIG. 12




FIG. 13




FIG. 14

